


- ENCLOSURE TYPE
- NEMA 1
 - NEMA 2
 - (STD. BY IEC) NEMA 3R
- SIZE (AMPS)
- 200A
 - 3 POLE
 - 3 POLE
 - 4 POLE
 - SOLID NEUTRAL




CONNECTION DATA

BREAKER LOAD: 100% 3-PHASE 240V PER PHASE

NEUTRAL LOAD: 100% 3-PHASE 240V (L1 & 3 POLE ONLY)

GROUNDING: 35 3/4" 2/0 CU/AL

SPECIAL REQUIREMENTS



WARNING
MORE THAN ONE LINE CIRCUIT
SEE DIAGRAM

AVERTISSEMENT
PLUS D'UN CIRCUIT SOUS
TENSION VOIR SCHEMA

WARNING
DISCONNECT ALL SOURCES OF
SUPPLY BEFORE SERVICING

AVERTISSEMENT
COUPER TOUTES LES SOURCES
D'ALIMENTATION AVANT DE FAIRE
L'ENTRETIEN ET LES REPARATIONS

NOTE: STANDARD CONFIGURATION SHOWN:
3Ø/4W SYSTEM WITH SOLIDLY GROUNDED NEUTRAL

<input type="checkbox"/> APPROVED FOR CONSTRUCTION									
<input type="checkbox"/> MASTER COPY	<input type="checkbox"/> REFERENCE COPY	OF							
<input type="checkbox"/> MULTIPLE UNIT WORK ORDER									
<input type="checkbox"/> RELEASED FOR INFORMATION									
AUTH. BY: _____	DATE: _____								

THORNTON ELECTRONICS
CIRCUITRY DIVISION

AUTOMATIC TRANSFER SWITCH
MODEL TS 850M
PHYSICAL LAYOUT & INSTALLATION DETAILS
200A

PREFERRED POWER SYSTEM			
0-20000	W-000007		
00	00	04-07-10	0
W-020007-01			1/2

